AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT IE I		Page of Pages 1
2. AMENDMENT/MODIFICATION NO. 3. 0001	44 4770 00	4. REQUISITION/PURG NO.	CHASE REQ.		NO. (If applicable)
6. ISSUED BY CODE SE	24410	7. ADMIN ISTIAITO 067	6(IAOOI)per than Ite	em 6)CODE	
DEFENSE REUTILIZATION AND MARKETII FEDERAL CENTER (DRMS-TPOO/vm) 74 WASHINGTON AVENUE NORTH BATTLE CREEK MI 49017-3092					
8. NAME AND ADDRESS OF CONTRACTOR (No.,	street, county, State a	and ZIP Code)	(X) 9A. AMEND	MENT OF SOL	ICITATION NO.
			R-0502		
			Y 9B. DATED (SEE ITEM 11) 11 JUL 00		
			NO.		
			10B. DATEI) (SEE ITEM 1	3)
	<u>CILITY CODE</u> ONLY APPLIES TO .	AMENIDMENTS OF	SOLICITATIO	NIS	
The above numbered solicitation is amended as set forth				is extended,	is not extended.
Offer must acknowledge receipt of this amendment prior to the				J	is not extended.
0.1				3	
(a) By completing Items 8 and 15, and returning submitted; or (c) By separate letter or telegram which includes THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIO you desire to change an offer already submitted, such change ramendment, and is received prior to the opening hour and date	a reference to the solicitation R TO THE HOUR AND DATE hay be made by telegram or	SPECIFIED MAY RESULT I	FAILURE OF YOUR N REJECTION OF YO	ACKNOWLEDGM OUR OFFER. If by	ENT TO BE RECEIVED AT virtue of this amendment
12. Accounting and Appropriation Data (If required)				
40 7140 47514 400		NELO A TIONIO OF O			
	HE CONTRACT/ORD	ER NO. AS DESCR	IBED IN ITEM 1	14.	
(X) A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Sp	ecify authority) THE CHANG	ES SET FORTH IN ITEM 14	ARE MADE IN THE	CONTRACT ORDI	ER NO. IN ITEM 10A.
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODI appropriation date, etc). SET FORTH IN ITEM 14, PUR			uch as changes in pa	ying office,	
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO	PURSUANT TO AUTHORIT	Y OF:			
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor is not, is	s required to sign this docume	ent and return	copies to	the issuing office.	
14. DESCRIPTION OF AMENDMENT/MODIFICATIO feasible.)	N (Organized by UCF s	ection headings, inclu	ding solicitation/d	contract subjec	t matter where
THE ABOVE REFERENCED SOLICITATION	ON, BLOCK 9A, IS H	EREBY EXTENDEI	O TO AUGUST	18, 2000, IN	ORDER
TO ALLOW OFFERORS ADDITIONAL TI	ME FOR ELECTRON	IC SUBMISSION A	ND ANSWER (QUESTIONS 1	PER
ATTACHMENT 1.					
Except as provided herein, all terms and conditions in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TI	TLE OF CONTRA	CTING OFFICE	R (Type or print)
1ED CONTRACTOR/OFFEROR	1EC DATE CICNED	14D LIMITED STATE	S OF AMERICA		14C DATE SIGNED
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATE BY	S OF AIVIERICA		16C. DATE SIGNED
(Signature of person authorized to sign)		(Signati	ire of Contracting Off	ficer)	

(Signature of person NSN 7540-01-152-9070 PREVIOUS EDITION UNUSABLE

PerFORM (DLA)

STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243 The following questions are being addressed in this amendment to solicitation cited in block 9A above to provide clarification to contractor's questions. The list of questions and their answers are as follows:

1. Question #1: CLIN 0001 shot means an item like a battery, a cartridge or a film?

Answer: No, items are not sent, but the samples are resultant from processing these type of materials.

2. Question #2: What means matte, slag fines, slag oversize, baghouse dust?

Answer: An assay contractor should know what is matte, fines, oversize, baghouse dust, etc. These are terms utilized in industry practices in refining.

3. Question #3: CLIN 0005, is the osmium, rhodium, iridium or ruthenium one by itself or is the assay a combination of, for example, osmium and rhodium, or osmium, rhodium, and iridium?

Answer: Samples may or may not be a combination of metals. That is what the assayer will let us know and how much. Solicitation says "osmium, rhodium, iridium, or ruthenium."

4. Question #4: Are solutions being analyzed by fire assay method?

Answer: If contractor cannot do a step, such as fire assay, on the first step, then they can come in and tell us how they intend to do the work. Solicitation also reads that the "dry basis provision" is not applicable to solution assay.

5. Question #5: Is the hours under volume III, page 19 by hours opened or hours that will take to compete that assay?

Answer: Hours of operations by contractor.